



801 – 228th Avenue SE • Sammamish, WA 98075 • Phone: 425-295-0500 • Fax: 425-295-0600 • web: www.ci.sammamish.wa.us

PERMIT NUMBER								
				—				

Fire Services Permit Application

Check # _____

- Sprinklers require 4 sets of plans and calculations at submittal
- Fire Alarms require 3 sets of plans and calculations at submittal

Project Description:

PROPERTY

Property Address:	
City/State/Zip:	
Tax Parcel No:	Water District:
Legal Description:	Zoning:

PROPERTY OWNER

Name:	Phone/Fax:
Mailing Address:	City/State/Zip:
Email:	Cell:

OWNER'S AUTHORIZED AGENT/CONTACT

Name:	Phone/Fax:
Mailing Address:	City/State/Zip:
Email:	Cell:

GENERAL CONTRACTOR and/or OWNER

Company Name:	Phone/Fax:
Contact:	
Mailing Address:	City/State/Zip:
Email:	Cell:
State License No:	Expiration:

FIRE SERVICES CONTRACTOR

Company Name:	Phone/Fax:
Contact:	
Mailing Address:	City/State/Zip:
Email:	Cell:
State License No:	Expiration:

APPLICANT

Application or construction documents will be reviewed within a reasonable time period based on the current workload. Construction documents which do not conform to the requirements of 16.05, 16.10 and 16.20 SMC will be rejected in writing, stating the reason(s).

Applications for which no permit is issued within 18 months following the date of application shall expire by limitation. Applications may also be canceled for inactivity, if an applicant fails to respond to the department's written request for revisions, corrections, actions or additional information within 90 days of the date of request. The Building Official may extend the life of an application if any of the conditions listed under SMC 16.20.225 (3) exist.

The Permit Center may authorize refunding of not more than 80 percent of the permit fee paid when no work has been done under a permit issued and not more than 80 percent of the plan review fee paid when an application for a permit for which a plan review fee has been paid is withdrawn or canceled before any plan review is done. No refund shall be made for application or plan review fees where a plan review has been performed and the application is rejected in accordance with 16.20.220 SMC. The Permit Center shall not authorize refunding of any fee paid except on written application filed by the original permittee not later than 180 days after the date of application.

All provision of laws and ordinances governing this type of work shall be complied with. The granting of a permit does not presume to give authority to violate the provisions of any local, state or federal law regulation construction of the performance of construction.

Every permit shall expire 2 years from date of issuance. SMC 16.20.235

I hereby certify that I have read and examined this application and know the same to be true and correct.

Signature of Owner or Authorized Agent

Date


Required

Fire Sprinkler (Required)


	WATER CLOSETS/TOILETS		PUMP HP
	TUB FAUCETS		FIRE SPRINKLER HEADS (QTY)
	SHOWER HEADS		WATER PRESSURE (GPM)
	LAVATORIES/BATHROOM SINKS		METER SIZE
	KITCHEN SINKS		
	DISHWASHERS		
	HOT WATER TANK		
	LAUNDRY WASHER/SINK		
	URINALS		
	DRINKING FOUNTAINS		
	FLOOR DRAINS		
	VACUMN BREAKERS		
	BACKFLOW		
	RAIN LEADERS		
	BLDG DRAIN EXTENSIONS		
	INDIRECT DRAINS		
	HOSE BIBBS		
	OTHER		
	TOTAL OUTLETS _____		

SEE DISTRICT STANDARDS FOR WATER SERVICE METER BOX REQUIREMENTS

FOR AREAS SUBJECT TO VEHICULAR TRAFFIC, USE PRECAST CONCRETE VAULT 3'-8"x2'-8"x3'-6" UTILITY VAULT CO. MODEL 233-LA WITH NO. 23-233P DIAMOND PLATE COVER OR EQUAL. FOR NON-TRAFFIC AREAS USE CARSON PLASTIC VAULT NO. 1730 OR EQUAL 1'-6"x2'-1"x3'-2"




PLAN VIEW
NOT TO SCALE




- NOTES:**
1. NO FENCING, GATES OR OTHER OBSTACLES SHALL BE LOCATED AS TO RESTRICT ACCESS TO METER SERVICE.

PROFILE VIEW
NOT TO SCALE



PLAN VIEW
NOT TO SCALE



DOH APPROVED DOUBLE CHECK BACKFLOW PREVENTOR ASSEMBLY
PLUG ALL TEST COCKS WITH PVC PLUGS

PROFILE VIEW
NOT TO SCALE

ALTERNATE / ADDITIONAL DCVA IN RISER ROOM DETAIL

STANDARD FIRE SPRINKLER DCVA CONNECTION DETAIL

REV. 07/23/2008

**SAMMAMISH PLATEAU WATER AND SEWER DISTRICT
REQUIREMENTS FOR
REQUESTS FOR WATER METERS
TO BE USED WITH
SINGLE FAMILY RESIDENTIAL FIRE SPRINKLERS**

The following information **must** be provided to the District for its verification that the proper backflow prevention device is being installed on the fire sprinkler system.
Incomplete submittals will not be accepted for review.

In the Cities of Sammamish and Issaquah, the information should be included with the application for a permit to install a fire sprinkler system in a single-family residence, and the City will forward the information to the Sammamish Plateau Water and Sewer District for review. In unincorporated King County, the owner, builder, or fire sprinkler designer shall forward the information directly to the District.

This information must be supplied to the District prior to installation of a 1" or larger meter as a requirement for fire sprinklers. All correspondence shall reference the tax parcel number and the Building Permit number.

1. Plans showing the fire sprinkler design, including the location of the backflow prevention device. A detail showing a typical installation is enclosed for your use. A catalog cut/specification sheet of a Department of Health-approved backflow prevention device must be provided with the submittal.
2. Calculations from the Fire Sprinkler designer indicating the meter size or flow requirements (in gpm) for the fire sprinkler design.

Please note that if a water meter in excess of 1" is required for the fire sprinklers, the District requires that two water meters will be installed, one for domestic use (size based on domestic requirements) and one for fire sprinklers (size based on fire sprinkler requirements).