

SE 4th Street Improvements


Transportation Committee Update April 6th 2016
















Center Lane Option



Center Lane Option

Intersection Level of Service



Median & Mini Roundabouts



Median & Mini Roundabouts

Intersection Level of Service




LOS - Inflated Forecast Volume

In the new others	2035 Volume Scaling Factor							
Intersection	100%	110%	125%	130%	135%	140%	145%	150%
218th Avenue SE	А	А	А	В	В	В	С	С
218th Place SE	А	А	А	А	В	В	В	В
222nd Place SE	А	А	А	В	В	В	В	F*
224th Avenue SE	А	А	В	С	с	D	E	F
225th Place SE	А	В	с	F *	F	F	F	F
228th Avenue SE	F	F	F	F	F	F	F	F



Option A: Center Turn Lane





Option C: Large Center Median




Option D: Bike Lane Buffer






Option B: Separate Bike Lane













- 218TH AVE SE TO 228TH AVE SE COLLECTOR CONFIGURATION CITY OF SAMMAMISH SE 4TH STREET 218TH AVE SE TO 228TH AVE SE APRIL 2016

......

FEET







OPTION 1 - 30% DESIGN

CITY OF SAMMAMISH SE 4TH STREET 218TH AVE SE TO 228TH AVE SE APRIL 2016

FHWA Diagram of Intersection Conflict Points

With roundabouts, head-on and high-speed right angle collisions are virtually eliminated.







[Roundabout]

Potential vehicle conflict point

Pedestrian Vehicle Conflicts





Roundabouts: An Information Guide, FHWA