



801 – 228<sup>th</sup> Avenue SE • Sammamish, WA 98075 • Phone: 425-295-0500 • Fax: 425-295-0600 • web: www.sammamish.us

PERMIT NUMBER							

## Clearing & Grading Permit

Check # \_\_\_\_\_

Are you applying because of a code violation you received? Yes \_\_\_\_\_ No \_\_\_\_\_

### PROPERTY

Job Site Address:							
City/State/Zip:							
Tax Parcel No:	Water District:		Sewer:		Septic Tank:		Zoning:

### PROPERTY OWNER

Owner Name:	Phone/Fax:
Mailing Address:	City/State/Zip:
Email:	Cell:

### OWNER'S AUTHORIZED AGENT/CONTACT

Name:	Phone/Fax:
Mailing Address:	City/State/Zip:
Email:	Cell:

### GENERAL CONTRACTOR

Company Name:	Phone/Fax:
Contact:	
Mailing Address:	City/State/Zip:
Email:	Cell:
State License No:	Expiration:

#### Job Description:

**1. How many total cubic yards of earth will be worked?** \_\_\_\_\_ **Excavation**    **Fill**    **Displaced (circle)**

**2. Does the project intersect with any of the following environmentally critical areas?**

- a. Erosion Hazard    b. Flood Hazard    c. Landslide Hazard    d. Seismic Hazard    e. Steep Slope (circle type)

**Describe:**

**3. Does the project intersect with any of the following environmentally critical areas?**

- a. Stream    b. Wetland    c. Lake    d. Wetland/Stream/Lake Buffer (circle type)

**Describe:**

**4. How many cubic yards of earth will be worked in these areas?** \_\_\_\_\_

**5. Will soils be transferred off site?**    **YES**    **NO (circle)**    **Where?** \_\_\_\_\_

**6. Will you be paving more than 2,000 sq. ft?**    **YES**    **NO (circle)**

**7. Will more than 7,000 sq. ft of land be disturbed?**    **YES**    **NO (circle)**

**8. Will you be constructing or modifying a pipe or ditch 12" or greater?**    **YES**    **NO (circle)**

**Office use Only (Planning)**

	<b>SEPA Not required (no FPA required)</b>		<b>SEPA Required (No permit until SEPA is Complete)</b>
	<b>SEPA Complete</b>		<b>Reviewed by: _____ Date: _____</b>
<p>All Provisions of laws and ordinances governing this type of work will be complied with. The granting of a permit does not presume to give authority to violate or cancel the provisions of any other state or local law regulating construction of the performance of construction. Applications for which no permit is issued within 180 days following the date of application shall expire by limitation; plans and other data submitted for review may thereafter be returned to the applicant or destroyed by the building official.</p> <p><b>I hereby certify that I have read and examined this application and know the same to be true and correct.</b></p>			
<b>Signature of Owner of Authorized Agent:</b>		<b>Date:</b>	
<b>Comments:</b>		<b>Office use Only</b>	
<b>Conditions of Approval:</b>			

Applications which require the submittal of a clearing and grade permit must prepare the sheets as shown and in the format described below. If you have questions please contact the Permit Center at 425-295-0500.

**2 Copies of Plan Set (see below)**


**All plan drawings shall be:**

- A. Sheet Size, 22" x 34"
- B. Numbered sequentially (lower right hand corner of each page)
- C. Name of Project
- D. Date, including additional space for revision dates
- E. North Arrow (all site related sheets)
- F. Engineering Scale (includes scale bar on all sheets)
- G. Survey Drawings at NAD 83/91 horizontal datum & NAVD 88 vertical datum and included on site plan (not to exceed 1"=50', 1"=20' preferred)
- H. Contour Intervals = 2'
- I. Elevations within 50' of subject site
- J. Professional Stamp (Civil Engineer)
- K. Planner and Project Engineer Signature blocks

**Grading and Temporary Erosion Control Plan**

- A. City of Sammamish Standard Erosion Control Notes
- B. Critical Areas and Buffers
- C. Existing and Proposed Grade Contours
- D. Existing Significant Trees
- E. Erosion Control Plan (KCSWDM Appendix D)
  - 1. Construction entrance
  - 2. Clearing limits
  - 3. Silt fence
  - 4. Stock Piles
  - 5. Catch basin inserts
  - 6. Bank protection
  - 7. Hydro-Seeding
  - 8. Sedimentation Pond
  - 9. TESC Details


# SILT FENCE INSTALLATION AND MAINTENANCE DETAIL




Dig trench




Toe-in-fabric




Stake



Reinforce




Monitor



Maintain and clean


## SILT FENCE DETAIL

JOINTS IN FILTER FABRIC SHALL BE SPLICED AT POSTS. USE STAPLES, WIRE RINGS, OR EQUIVALENT TO ATTACH FABRIC TO POSTS.




NOTE: FILTER FABRIC FENCES SHALL BE INSTALLED ALONG CONTOUR WHENEVER POSSIBLE

**ROCK CONSTRUCTION ENTRANCE DETAIL**




**CATCH BASIN FILTER FABRIC PROTECTION DETAIL**



NOTE: ONLY TO BE USED WHERE PONDING OF WATER ABOVE THE CATCH BASIN WILL NOT CAUSE TRAFFIC PROBLEMS AND WHERE OVERFLOW WILL NOT RESULT IN EROSION OF SLOPES.

**CATCH BASIN INSERT DETAIL**



NOTE: THIS DETAIL IS ONLY SCHEMATIC. ANY INSERT IS ALLOWED THAT HAS A MIN. 0.5 C.F. OF STORAGE, THE MEANS TO DEWATER THE STORED SEDIMENT, AN OVERFLOW, AND CAN BE EASILY MAINTAINED.