

# CITY OF SAMMAMISH

## PUBLIC WORKS DEPARTMENT

### SE 6TH ST IMPROVEMENTS PHASE A

222ND PL SE TO 224TH AVE SE


CITY OFFICIALS:

MAYOR:  
KAREN HOWE

DEPUTY MAYOR:  
AMY LAM

COUNCIL MEMBERS:

KALI CLARK  
ROISIN O'FARRELL  
SID GUPTA  
KENT TREEN  
PAM STUART



VICINITY MAP  
N.T.S.

### SHEET INDEX

DRAWING #	SHEET #	SHEET TITLE
CV1		COVER, INDEX, AND VICINITY MAP
GN1		LEGEND AND ABBREVIATIONS
AL1		CONSTRUCTION ALIGNMENT AND SURVEY CONTROL PLAN
SP1 - SP2		SITE PREPARATION AND TESC PLAN
RS1		TYPICAL ROADWAY SECTIONS
RP1 - RP2		ROADWAY PLAN AND PROFILE
DR1 - DR2		DRAINAGE PLAN AND PROFILE
CH1		CHANNELIZATION AND SIGNING PLAN
LP01		PLANTING SCHEDULE, NOTES, LEGEND, AND ABBREVIATIONS
LP02		PLANTING PLAN
LP03		PLANTING DETAILS

Aug 29, 2025 - 1:35pm nancy.eaton X:\Sammamish\_City of\Projects\20250064 - SE 6th Street Phase A\CADD\02 - Plan Sheets\20250064-CN.dwg Layout Name: CV



AUGUST 2025

30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION

**WATER SYMBOLS**

EXIST.	PROP.	DESCRIPTION
J	J	CAP/PLUG
+	+	COUPLING
o	o	GUARD POST
o	o	REDUCER
▲	▲	THRUST BLOCKING
⊞	⊞	WATER METER
⊞	⊞	FIRE HYDRANT 2-NOZZLE
⊞	⊞	FIRE HYDRANT 3-NOZZLE
		FLANGE/BLIND FL (FL) (BL FL)
⌈	⌈	MECHANICAL JOINT (MJ)
C	C	PUSH-ON/HUB
		THREAD
⊙	⊙	AIR RELIEF VALVE
⊙	⊙	BLOW-OFF VALVE
⊙	⊙	BUTTERFLY VALVE
⊙	⊙	CHECK VALVE
⊙	⊙	GATE/GENERAL VALVE
⊙	⊙	PLUG VALVE

**GAS/POWER/TELEPHONE SYMBOLS**

EXIST.	PROP.	DESCRIPTION
⊞	⊞	GAS METER
⊞	⊞	GAS VALVE
⊞	⊞	PAD MOUNTED TRANSFORMER
P	P	POWER VAULT
⊞	⊞	TRANSMISSION TOWER
⊞	⊞	UTILITY POLE
⊞	⊞	UTILITY POLE ANCHOR
o	o	TELEPHONE RISER
T	T	TELEPHONE VAULT

**SURVEY SYMBOLS**



EXIST.	PROP.	DESCRIPTION
△	△	ANGLE POINT
+	+	BENCH MARK
o	o	BLOCK CORNER
o	o	IRON PIPE
⊙	⊙	MONUMENT (IN CASE)
⊙	⊙	MONUMENT (SURFACE)
Z	Z	OWNERSHIP TIE
○	○	SECTION CENTER
⊞	⊞	SECTION CORNER
⊞	⊞	QUARTER CORNER
○	○	SIXTEENTH CORNER
⊞	⊞	CLOSING CORNER
MC	MC	MEANDER CORNER
WC	WC	WITNESS CORNER
⊙	⊙	SOIL BORING/POTHOLING
⊙	⊙	SPOT ELEVATION
XXX	XXX	TAX LOT/PARCEL NUMBER

**SIGNALIZATION SYMBOLS**

EXIST.	PROP.	DESCRIPTION
⊞	⊞	AERIAL DISCONNECT
⊞	⊞	AERIAL TERMINAL COMPARTMENT
□	□	DIPOLE DETECTOR
⊞	⊞	QUADRAPOLE DETECTOR
○	○	ROUND LOOP DETECTOR
⊞	⊞	PEDESTRIAN DETECTOR
⊞	⊞	INDICATOR LIGHT
⊞	⊞	OPTICOM SENSOR
⊞	⊞	OPTICOM SENSOR W/ INDICATOR LIGHTS
⊞	⊞	FLASHING WARNING SYSTEM
⊞	⊞	JUNCTION BOXES (TYPE I, II, III)
⊞	⊞	PEDESTRIAN PUSHBUTTON POST W/ PUSHBUTTON
⊞	⊞	PEDESTRIAN SIGNAL HEAD
⊞	⊞	SIGNAL POLE NOTE
⊞	⊞	R/R CROSSING GATE
⊞	⊞	R/R CROSSING SIGNAL
⊞	⊞	SIGNAL CONTROLLER
⊞	⊞	SIGNAL LOAD CENTER
⊞	⊞	STREET LIGHT ASSEMBLY
⊞	⊞	TRAFFIC SIGN-BRIDGE
⊞	⊞	TRAFFIC SIGN-CANTILEVERED
⊞	⊞	TRAFFIC SIGN-SINGLE POST
⊞	⊞	TRAFFIC SIGN-DOUBLE POST
⊞	⊞	TRAFFIC SIGNAL POLE
⊞	⊞	TRAFFIC SIGNAL POLE W/ LUMINAIRE
⊞	⊞	TRAFFIC SIGNAL SUPPORT POLE
⊞	⊞	VEHICLE SIGNAL HEAD
⊞	⊞	VEHICLE SIGNAL HEAD W/ ARROW INDICATOR
⊞	⊞	WIRE NOTE

**SANITARY/STORM SEWER SYMBOLS**

EXIST.	PROP.	DESCRIPTION
o	o	SANITARY SEWER CLEAN OUT
○	○	SANITARY SEWER MANHOLE
□	□	STORM DRAIN CATCH BASIN (TYPE 1)
⊞	⊞	STORM DRAIN CULVERT
⊞	⊞	STORM DRAIN CATCH BASIN (TYPE 2)
⊞	⊞	STORM DRAIN MANHOLE
⊞	⊞	ENERGY DISSIPATOR
⊞	⊞	OVERFLOW STRUCTURE

**CHANNELIZATION SYMBOLS**

EXIST.	PROP.	DESCRIPTION
⊞	⊞	BIKE PATH
⊞	⊞	HANDICAP SYMBOL
◇	◇	H.O.V. LANE SYMBOL
ONLY	ONLY	ONLY
RR	RR	RAILROAD CROSSING
SCHOOL	SCHOOL	SCHOOL
STOP	STOP	STOP
↑	↑	STRAIGHT ARROW
↔	↔	LT.RT.STR. ARROW
↔	↔	LEFT-RIGHT ARROW
↔	↔	2-WAY LEFT TURN
↔	↔	LEFT TURN ARROW
↔	↔	RIGHT TURN ARROW
↔	↔	LEFT-STRAIGHT ARROW
↔	↔	RIGHT-STRAIGHT ARROW
o	o	LANE MARKER TYPE I
□	□	LANE MARKER TYPE II

**SURFACE FEATURES/LANDSCAPING**

EXIST.	PROP.	DESCRIPTION
⊞	⊞	BUS STOP
⊞	⊞	EMBANKMENT
⊞	⊞	MAIL BOX
⊞	⊞	RIP RAP
⊞	⊞	ROCKERY
⊞	⊞	SHRUB
⊞	⊞	SIGN
⊞	⊞	TREE (CONIFER)
⊞	⊞	TREE (DECIDUOUS)
⊞	⊞	FENCE POST
⊞	⊞	CURB RAMP
⊞	⊞	YARD LIGHT

**ABBREVIATIONS**

ADJ	ADJUST
ALIGN	ALIGNMENT
ALT	ALTERNATE
AP	ANGLE POINT
APPROX	APPROXIMATELY
ASPH	ASPHALT
AVE	AVENUE
AVG	AVERAGE
BM	BENCH MARK
BOT	BOTTOM
BTWN	BETWEEN
CB	CATCH BASIN
CB1	CATCH BASIN TYPE 1
CB2	CATCH BASIN TYPE 2
CG	CURB & GUTTER
C/L, CL, C	CENTERLINE
COM	COMMON
CONC	CONCRETE
CONN	CONNECTION
CONST	CONSTRUCT
CONT	CONTINUED/CONTINUOUS
COS	CITY OF SAMMAMISH
DET	DETAIL
DWG	DRAWING
E	EAST, VERTICAL DISTANCE BETWEEN PVI AND ROAD SURFACE
EA	EACH
EL	ELEVATION
EX	EXISTING
FH	FIRE HYDRANT
FT	FEET/FOOT
G	GAS LINE
GE	GROUND ELEVATION
GV	GAS VALVE
HORIZ	HORIZONTAL
HPS	HIGH PRESSURE SODIUM
HT	HEIGHT
IE	INVERT ELEVATION
IN	INCH/INCHES
INT, INTX	INTERSECTION
K	RATE OF VERTICAL CURVATURE (LENGTH (FT) PER % DIFF. IN GRADE)
L	LENGTH OF ARC
LB	POUND
LBS	POUNDS
LF	LINEAL FOOT/FEET
LT	LEFT
LUMIN	LUMINAIRE
MAX	MAXIMUM
MB	MAILBOX
MH	MANHOLE
MIN	MINIMUM
MON	MONUMENT
N	NORTH
NA	NOT APPLICABLE
NAD	NORTH AMERICAN DATUM
NAVD	NORTH AMERICAN VERTICAL DATUM
NO.	NUMBER
N.T.S.	NOT TO SCALE
OPP	OPPOSITE
PC	POINT OF CURVE
PT	POINT OF TANGENT
PVC	POLYVINYL CHLORIDE / POINT OF VERTICAL CURVE
PVI	POINT OF VERTICAL INTERSECTION
PVMT	PAVEMENT
PVT	POINT OF VERTICAL TANGENT
R	RADIUS/RANGE
REF	REFERENCE
RR	RAILROAD
RT	RIGHT
R/W, ROW	RIGHT OF WAY
S	SOUTH
SD	STORM DRAIN
SEC	SECTION
SLJB	STREET LIGHTING JUNCTION BOX
SPEC	SPECIFICATION
STD	STANDARD
STLT	STREET LIGHT
SR	STATE ROUTE
SS	SANITARY SEWER
ST	STREET
STA	STATION
S/W	SIDEWALK
T	TOWNSHIP
TOC	TOP OF CURB
TV	TELEVISION
UTIL	UTILITY
VERT	VERTICAL
W	WEST, WATER LINE
W/	WITH
WA	WASHINGTON
WM	WILLAMETTE PRINCIPAL MERIDIAN

**LINE TYPES**

LINE TYPE	DESCRIPTION
⊞	SURFACE FEATURES: EXISTING BUILDING LINE
⊞	PROPOSED BUILDING LINE
⊞	EXISTING DITCH
⊞	PROPOSED DITCH
⊞	EXISTING CURB/PAVEMENT/SIDEWALK
⊞	PROPOSED CURB/PAVEMENT/SIDEWALK
⊞	EXISTING FENCE LINE
⊞	PROPOSED FENCE LINE
⊞	EXISTING GRAVEL
⊞	EXISTING GUARDRAIL
⊞	PROPOSED GUARDRAIL
⊞	LAKE/POND
⊞	WETLAND/SWAMP PERIMETER
⊞	RAILROAD
⊞	EXISTING RETAINING WALL
⊞	PROPOSED RETAINING WALL
⊞	RIVERBANK/ShORELINE
⊞	VEGETATION LINE
⊞	SURVEY: EXISTING CENTERLINE
⊞	PROPOSED CENTERLINE
⊞	EXISTING CONTOUR (INTERMEDIATE)
⊞	EXISTING CONTOUR (INDEX)
⊞	PROPOSED CONTOUR (INTERMEDIATE)
⊞	PROPOSED CONTOUR (INDEX)
⊞	EXISTING EASEMENT LINE
⊞	PROPOSED EASEMENT LINE
⊞	EXISTING PROPERTY LINE
⊞	EXISTING RIGHT OF WAY CENTERLINE
⊞	EXISTING RIGHT OF WAY
⊞	EXISTING RIGHT OF WAY (USED)
⊞	PROPOSED RIGHT OF WAY
⊞	SECTION LINE
⊞	QUARTER SECTION LINE
⊞	16TH SECTION LINE
⊞	UTILITIES (EXISTING)
⊞	EXISTING GAS LINE
⊞	EXISTING AERIAL POWER
⊞	EXISTING BURIED POWER
⊞	EXISTING STORM DRAIN
⊞	EXISTING FORCE MAIN
⊞	EXISTING SANITARY SEWER
⊞	EXISTING AERIAL TELEPHONE
⊞	EXISTING BURIED TELEPHONE
⊞	EXISTING WATER LINE
⊞	UTILITIES (PROPOSED)
⊞	PROPOSED GAS LINE
⊞	PROPOSED AERIAL POWER
⊞	PROPOSED BURIED POWER
⊞	PROPOSED STORM DRAIN
⊞	PROPOSED FORCE MAIN
⊞	PROPOSED SANITARY SEWER
⊞	PROPOSED AERIAL TELEPHONE
⊞	PROPOSED BURIED TELEPHONE
⊞	PROPOSED WATER LINE
⊞	CUSTOM: CUT LINE
⊞	FILL LINE
⊞	SILT FENCE
⊞	HVSF HIGH VISIBILITY SILT FENCE
⊞	CONSTRUCTION FENCE

Aug 29, 2025 - 1:35pm nancy.eaton X:\Sammamish\_City of\Projects\20250064 - SE 6th Street Phase ACADD\02 - Plan Sheets\20250064-GN.dwg Layout Name: GN1

No.	Date	Revision	By	Appr.

**PERTEET**  
801 2ND AVENUE, SUITE 302  
SEATTLE, WA 98104  
800.615.9900

City of **Sammamish** Washington

**811**  
Know what's below.  
Call before you dig.

ENRIQUE BORGES  
STATE OF WASHINGTON  
PROFESSIONAL ENGINEER

Drawn By	Date
N. EATON	8/2025
Designed By	
H. OGDEN	8/2025
Checked By	
E. BORGES	8/2025
Approved By	
E. BORGES	8/2025

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
**LEGEND AND ABBREVIATIONS**

Drawing No.	GN1
Sheet No.	---
of Total	---

**30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION**

Project Number  
20250064



SEC. 33, T. 25 N, R. 6 E, W.M.

CONSTRUCTION NOTES:


- 1 INSTALL STORM DRAIN INLET PROTECTION PER WSDOT STD PLAN 1-40.20.
- 2 REMOVE EXISTING FIRE HYDRANT. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS. SEE RD SHEETS FOR NEW LOCATION.
- 3 REMOVE EXISTING WHEEL STOP. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS.
- 4 REMOVE EXISTING BOLLARD. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS.
- 5 REMOVE EXISTING STREET LIGHT. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS.
- 6 REMOVE GATE AND POSTS. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS.

LEGEND:


- CLEARING AND GRUBBING
- REMOVE EXISTING ASPHALT CONC. PAVEMENT (INCLUDED IN ROADWAY EX. INCL. HAUL)
- INLET PROTECTION
- HVSF HIGH VISIBILITY SILT FENCE PER WSDOT STD. PLAN 1-30.17
- SAWCUT EXISTING PAVEMENT
- EXISTING TREES TO BE PROTECTED

GENERAL NOTES:

- 1. THE CONTRACTOR SHALL MAINTAIN ALL EXISTING SITE DRAINAGE DURING CONSTRUCTION.
- 2. SEE CH DWGS FOR ADDITIONAL NOTES, SIGN REMOVALS, AND RELOCATIONS.
- 3. SEE DR DWGS FOR DRAINAGE ADJUSTMENTS, AND RELOCATIONS.



MATCHLINE STA 104+50 - SEE DWG. NO. SP2



30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION

No.	Date	Revision	By	Appr.

**PERTEET**  
801 2ND AVENUE, SUITE 302  
SEATTLE, WA 98104  
800.615.9900

City of **Sammamish** Washington

**811**  
Know what's below.  
Call before you dig.

ENRIQUE BORGES  
STATE OF WASHINGTON  
REGISTERED PROFESSIONAL ENGINEER


Drawn By N. EATON	Date 8/2025
Designed By H. OGDEN	8/2025
Checked By E. BORGES	8/2025
Approved By E. BORGES	8/2025

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
SITE PREPARATION AND TESC PLAN

Drawing No.  
**SP1**  
Sheet No.  
of Total

Aug 29, 2025 - 1:36pm nancy.eaton X:\Sammamish\_City of\Projects\20250064-SP.dwg Layout Name: SP1

SEC. 33, T. 25 N, R. 6 E, W.M.



CONSTRUCTION NOTES:


- 1 INSTALL STORM DRAIN INLET PROTECTION PER WSDOT STD PLAN 1-40.20.
- 2 REMOVE EXISTING FIRE HYDRANT. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS. SEE RD SHEETS FOR NEW LOCATION.
- 3 REMOVE EXISTING WHEEL STOP. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS.
- 4 REMOVE EXISTING BOLLARD. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS.
- 5 REMOVE EXISTING STREET LIGHT. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS.
- 6 REMOVE GATE AND POSTS. INCLUDED IN REMOVAL OF STRUCTURES AND OBSTRUCTIONS.

LEGEND:

- CLEARING AND GRUBBING
- REMOVE EXISTING ASPHALT CONC. PAVEMENT (INCLUDED IN ROADWAY EX. INCL. HAUL)
- INLET PROTECTION
- HVSF HIGH VISIBILITY SILT FENCE PER WSDOT STD. PLAN 1-30.17
- SAWCUT EXISTING PAVEMENT
- EXISTING TREES TO BE PROTECTED

GENERAL NOTES:

1. THE CONTRACTOR SHALL MAINTAIN ALL EXISTING SITE DRAINAGE DURING CONSTRUCTION.
2. SEE CH DWGS FOR ADDITIONAL NOTES, SIGN REMOVALS, AND RELOCATIONS.
3. SEE DR DWGS FOR DRAINAGE ADJUSTMENTS, AND RELOCATIONS.



30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION

Aug 29, 2025 - 1:36pm nancy.eaton X:\Sammamish\_City of\Projects\20250064 - SE 6th Street Phase ACADD\02 - Plan Sheets\20250064-SP.dwg Layout Name: SP2

No.	Date	Revision	By	Appr.

**PERTEET**  
 801 2ND AVENUE, SUITE 302  
 SEATTLE, WA 98104  
 800.615.9900

City of **Sammamish** Washington

**811**  
 Know what's below.  
 Call before you dig.

**ENRIQUE BORGES**  
 STATE OF WASHINGTON  
 REGISTERED  
 PROFESSIONAL ENGINEER




Drawn By N. EATON	Date 8/2025
Designed By H. OGDEN	8/2025
Checked By E. BORGES	8/2025
Approved By E. BORGES	8/2025

CITY OF SAMMAMISH  
 SE 6TH ST IMPROVEMENTS PHASE A  
 SITE PREPARATION AND TESC PLAN

Drawing No. <b>SP2</b>
Sheet No. ---
of Total ---

Project Number  
20250064

Aug 29, 2025 - 1:36pm nancy.eaton X:\Sammamish\_City of Projects\20250064 - SE 6th Street Phase A\CADD\02 - Plan Sheets\20250064-RS.dwg Layout Name: RS1



**CONSTRUCTION NOTES**

- ① HMA CL 1/2" PG 58H-22
- ② CRUSHED SURFACING TOP COURSE
- ③ CRUSHED SURFACING BASE COURSE
- ④ CEMENT CONC. TRAFFIC CURB AND GUTTER (TYPE A) PER COS STD. PLAN FIG03-8a
- ⑤ CEMENT CONC. SIDEWALK PER COS STD. PLAN FIG03-06
- ⑥ GRAVEL BORROW INCL. HAUL
- ⑦ CEMENT CONC. VALLEY GUTTER

**30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION**

No.	Date	Revision	By	Appr.

**PERTEET**  
 801 2ND AVENUE, SUITE 302  
 SEATTLE, WA 98104  
 800.615.9900

City of **Sammamish**  
 Washington

**811**  
 Know what's below.  
 Call before you dig.

**ENRIQUE BORGES**  
 STATE OF WASHINGTON  
 REGISTERED PROFESSIONAL ENGINEER

Drawn By N. EATON	Date 8/2025
Designed By H. OGDEN	8/2025
Checked By E. BORGES	8/2025
Approved By E. BORGES	8/2025

CITY OF SAMMAMISH  
 SE 6TH ST IMPROVEMENTS PHASE A  
 TYPICAL ROADWAY SECTIONS

Drawing No.  
**RS1**  
 Sheet No.  
 of Total

SEC. 33, T. 25 N, R. 6 E, W.M.

CONSTRUCTION NOTES:

- 1 ADJUST CATCH BASIN TO GRADE.
- 2 ADJUST WATER VALVE TO GRADE.
- 3 ADJUST MONUMENT CASE AND COVER TO GRADE.
- 4 CEMENT CONC. TRAFFIC CURB AND GUTTER (TYPE A) PER COS STD. PLAN FIG03-08a. GUTTER SLOPE TO MATCH ADJACENT ROADWAY SLOPE, SEE DWG. NO. RS1.
- 5 CEMENT CONC. VALLEY GUTTER, SEE DWG. NO. RS1.
- 6 CEMENT CONC. CURB RAMP TYPE PERPENDICULAR PER COS STD. PLAN FIG02-06.
- 7 NOT USED.
- 8 HYDRANT ASSEMBLY PER WSDOT STD PLAN B-90.10, TYPE B.
- 9 DETECTABLE WARNING STRIP PER WSDOT STD. PLAN F-45.10.
- 10 RAISED CROSSWALK PER DETAIL (TO BE PROVIDED AT FUTURE SUBMITTAL).
- 11 DRIVEWAY APPROACH PER COS STD. PLAN FIG03-01.
- 12 ADJUST JUNCTION BOX TO GRADE.
- 13 EXTRUDED CURB TYPE 1 PER WSDOT STD. PLAN F-10.42.

LEGEND


- FULL DEPTH PAVEMENT, SECTION ON DWG. NO RS1
- CEMENT CONC. SIDEWALK PER COS STD. PLAN FIG03-06
- ASPHALT PATH PAVEMENT, 4" HMA CL. 1/2" PG 58H-22 OVER 2" CSTC
- DRIVEWAY PAVEMENT, 4" HMA CL. 1/2" PG 58H-22 OVER 4" CSBC
- LANDSCAPING
- CURB AND GUTTER
- PAVING LIMITS
- RETAINING WALL (DETAILS TO BE PROVIDED AT FUTURE SUBMITTAL)
- FILL LINE
- CUT LINE
- ILLUMINATION POLES

PROFILE LEGEND:


- EXISTING GROUND @ CONST ☑
- FINISHED GRADE @ CONST ☑

GENERAL NOTES:

1. SEE TYPICAL SECTION DRAWINGS FOR SURFACING MATERIALS AND DETAILS.
2. PROPOSED CENTERLINE PROFILE WILL MATCH DEVELOPER'S ROADWAY FINISHED GROUND CENTERLINE PROFILE.





MATCHLINE STA 104+50 - SEE DWG. NO. RP2



STATION	100+00	100+20	100+40	100+60	100+80	101+00	101+20	101+40	101+60	101+80	102+00	102+20	102+40	102+60	102+80	103+00	103+20	103+40	103+60	104+00	104+20	104+40	104+50
EX GROUND ELEV	467.0	466.8	466.5	466.3	466.2	466.0	466.1	466.3	466.7	466.8	467.0	467.1	467.4	467.7	468.1	468.2	468.5	468.6	468.8	469.06	469.30	469.54	469.81
PROP ☑ ELEV		466.77	466.57	466.37	466.19	466.13	466.18	466.35	466.60	466.84	467.09	467.33	467.58	467.83	468.07	468.32	468.56	468.81	469.06	469.30	469.54	469.81	

SE 6TH ST PROFILE



30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION

Aug 29, 2025 - 1:36pm nancy.eaton X:\Sammamish\_City of Projects\20250064-FD.dwg - SE 6th Street Phase ACADD\02 - Plan Streets\20250064-FD.dwg - Layout Name: RP1

No.	Date	Revision	By	Appr.

**PERTEET**  
801 2ND AVENUE, SUITE 302  
SEATTLE, WA 98104  
800.615.9900

City of **Sammamish** Washington

**811**  
Know what's below.  
Call before you dig.

**ENRIQUE BORGES**  
REGISTERED PROFESSIONAL ENGINEER

Drawn By N. EATON	Date 8/2025
Designed By H. OGDEN	8/2025
Checked By E. BORGES	8/2025
Approved By E. BORGES	8/2025

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
ROADWAY PLAN AND PROFILE

Drawing No. <b>RP1</b>
Sheet No. ---
of Total ---

Project Number  
20250064

SEC. 33, T. 25 N, R. 6 E, W.M.

CONSTRUCTION NOTES:

- 1 ADJUST CATCH BASIN TO GRADE.
- 2 ADJUST WATER VALVE TO GRADE.
- 3 ADJUST MONUMENT CASE AND COVER TO GRADE.
- 4 CEMENT CONC. TRAFFIC CURB AND GUTTER (TYPE A) PER COS STD. PLAN FIG03-08a. GUTTER SLOPE TO MATCH ADJACENT ROADWAY SLOPE, SEE DWG. NO. RS1.
- 5 CEMENT CONC. VALLEY GUTTER, SEE DWG. NO. RS1.
- 6 CEMENT CONC. CURB RAMP TYPE PERPENDICULAR PER COS STD. PLAN FIG02-06.
- 7 NOT USED.
- 8 HYDRANT ASSEMBLY PER WSDOT STD PLAN B-90.10, TYPE B.
- 9 DETECTABLE WARNING STRIP PER WSDOT STD. PLAN F-45.10.
- 10 RAISED CROSSWALK PER DETAIL (TO BE PROVIDED AT FUTURE SUBMITTAL).
- 11 DRIVEWAY APPROACH PER COS STD. PLAN FIG03-01.
- 12 ADJUST JUNCTION BOX TO GRADE.
- 13 EXTRUDED CURB TYPE 1 PER WSDOT STD. PLAN F-10.42.

LEGEND




- FULL DEPTH PAVEMENT, SECTION ON DWG. NO RS1
- CEMENT CONC. SIDEWALK PER COS STD. PLAN FIG03-06
- ASPHALT PATH PAVEMENT, 4" HMA CL. 1/2" PG 58H-22 OVER 2" CSTC
- DRIVEWAY PAVEMENT, 4" HMA CL. 1/2" PG 58H-22 OVER 4" CSBC
- LANDSCAPING
- CURB AND GUTTER
- PAVING LIMITS
- RETAINING WALL (DETAILS TO BE PROVIDED AT FUTURE SUBMITTAL)
- FILL
- CUT LINE
- ILLUMINATION POLES

PROFILE LEGEND:

- EXISTING GROUND @ CONST @
- FINISHED GRADE @ CONST @

GENERAL NOTES:

1. SEE TYPICAL SECTION DRAWINGS FOR SURFACING MATERIALS AND DETAILS.
2. PROPOSED CENTERLINE PROFILE WILL MATCH DEVELOPER'S ROADWAY FINISHED GROUND CENTERLINE PROFILE.





EX GROUND ELEV	470.2	470.6	471.0	471.6	472.0	472.9	473.8	473.9	473.7
PROP @ ELEV	470.13	470.50	470.92	471.35	471.78				

SE 6TH ST PROFILE

EX GROUND ELEV	469.6	470.1	471.9	472.7	473.2	473.4	473.3
PROP @ ELEV	471.77	471.92	471.91	472.00	472.66	473.22	473.41

DRIVEWAY PROFILE



30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION

Aug 29, 2025 - 1:36pm nancy.eaton X:\Sammamish\_City of Projects\20250064-RD.dwg - SE 6th Street Phase A\CADD\02 - Plan Sheets\20250064-RD.dwg Layout Name: RP2

No.	Date	Revision	By	Appr.

**PERTEET**  
801 2ND AVENUE, SUITE 302  
SEATTLE, WA 98104  
800.615.9900

City of **Sammamish** Washington

**811**  
Know what's below.  
Call before you dig.

ENRIQUE BORGES  
STATE OF WASHINGTON  
REGISTERED PROFESSIONAL ENGINEER


Drawn By	Date
N. EATON	8/2025
Designed By	
H. OGDEN	8/2025
Checked By	
E. BORGES	8/2025
Approved By	
E. BORGES	8/2025

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
ROADWAY PLAN AND PROFILE

Drawing No.	RP2
Sheet No.	---
of Total	---

Project Number  
20250064

SEC. 33, T. 25 N, R. 6 E, W.M.



MATCHLINE STA 104+50 - SEE DWG. NO. DR2

**CONSTRUCTION NOTES:**

- 1 INSTALL SOLID COVER PER CITY OF SAMMAMISH STD FIG07-19
- 2 ABANDON EXISTING STORM PIPE TO THE NEAREST DRAINAGE STRUCTURE
- 3 INSTALL CATCH BASIN TYPE 1 PER CITY OF SAMMAMISH STD FIG07-04
- 4 INSTALL CATCH BASIN TYPE 2-48" PER CITY OF SAMMAMISH STD FIG07-07
- 5 REMOVE EXISTING DRAINAGE STRUCTURE


**LEGEND:**

- ABANDON EXISTING STORM PIPE
- CATCH BASIN, TYPE 1
- CATCH BASIN, TYPE 2
- STORM DRAINAGE PIPE

**GENERAL NOTES:**

1. ALL STORM SEWER PIPE SHALL BE SCHEDULE A SMOOTH INTERIOR WALL STORM SEWER PIPE, UNLESS OTHERWISE NOTED.
2. ALL CATCH BASINS SHALL HAVE A VANED GRATE PER CITY OF SAMMAMISH STD FIG07-16, UNLESS OTHERWISE NOTED.
3. LOCATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ARE APPROXIMATE.
4. THE CONTRACTOR SHALL POTHOLE ALL EXISTING UTILITY CROSSINGS STILL IN SERVICE PRIOR TO STARTING CONSTRUCTIONS OF THE PIPE RUN.
5. ALL CATCH BASINS ARE CALLED OUT TO THE CENTER OF STRUCTURE
6. ALL CATCH BASIN RIMS ALONG GUTTER FLOWLINES (INCL. VALLEY GUTTERS) ARE SET 0.08' LOWER THAN THEORETICAL FLOW LINE ELEVATIONS.
7. SEE STC - BROWNSTONES WEST STORM SEWER SYSTEM FOR MORE INFORMATION ON THE DOWNSTREAM SYSTEM FROM THE PROPOSED CONNECTION ON SE 6TH ST.
8. INSTALL INLET PROTECTION AT ALL NEW CATCH BASINS FOR THE DURATION OF CONSTRUCTION.

**NOTE TO REVIEWER:**  
STORMWATER PROFILES TO BE PROVIDED AT THE 90% SUBMITTAL



**30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION**

Aug 29, 2025 - 1:36pm - nancy.eaton - X:\Sammamish\_City of Projects\20250064 - SE 6th Street Phase ACADD\02 - Plan Sheets\20250064-DR.dwg - Layout Name: DR1

No.	Date	Revision	By	Appr.

**PERTEET**  
801 2ND AVENUE, SUITE 302  
SEATTLE, WA 98104  
800.615.9900

City of **Sammamish** Washington

**811**  
Know what's below.  
Call before you dig.


THOMAS W. I. MAN  
STATE OF WASHINGTON  
REGISTERED  
PROFESSIONAL ENGINEER

Drawn By N. EATON	Date 8/2025
Designed By B. LOGAN	8/2025
Checked By T. CHEONG	8/2025
Approved By J. DONATO	8/2025

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
**DRAINAGE PLAN**

Drawing No. <b>DR1</b>
Sheet No. ---
of Total ---

SEC. 33, T. 25 N, R. 6 E, W.M.



**NOTE TO REVIEWER:**  
STORMWATER PROFILES TO BE PROVIDED AT THE 90% SUBMITTAL

**CONSTRUCTION NOTES:**


- 1 INSTALL SOLID COVER PER CITY OF SAMMAMISH STD FIG07-19
- 2 ABANDON EXISTING STORM PIPE TO THE NEAREST DRAINAGE STRUCTURE
- 3 INSTALL CATCH BASIN TYPE 1 PER CITY OF SAMMAMISH STD FIG07-04
- 4 INSTALL CATCH BASIN TYPE 2-48" PER CITY OF SAMMAMISH STD FIG07-07
- 5 REMOVE EXISTING DRAINAGE STRUCTURE

**LEGEND:**

- ABANDON EXISTING STORM PIPE
- CATCH BASIN, TYPE 1
- CATCH BASIN, TYPE 2
- STORM DRAINAGE PIPE

**GENERAL NOTES:**

1. ALL STORM SEWER PIPE SHALL BE SCHEDULE A SMOOTH INTERIOR WALL STORM SEWER PIPE, UNLESS OTHERWISE NOTED.
2. ALL CATCH BASINS SHALL HAVE A VANED GRATE PER CITY OF SAMMAMISH STD FIG07-16, UNLESS OTHERWISE NOTED.
3. LOCATIONS OF EXISTING UNDERGROUND UTILITIES AS SHOWN ARE APPROXIMATE.
4. THE CONTRACTOR SHALL POTHOLE ALL EXISTING UTILITY CROSSINGS STILL IN SERVICE PRIOR TO STARTING CONSTRUCTIONS OF THE PIPE RUN.
5. ALL CATCH BASINS ARE CALLED OUT TO THE CENTER OF STRUCTURE
6. ALL CATCH BASIN RIMS ALONG GUTTER FLOWLINES (INCL. VALLEY GUTTERS) ARE SET 0.08' LOWER THAN THEORETICAL FLOW LINE ELEVATIONS.
7. SEE STC - BROWNSTONES WEST STORM SEWER SYSTEM FOR MORE INFORMATION ON THE DOWNSTREAM SYSTEM FROM THE PROPOSED CONNECTION ON SE 6TH ST.
8. INSTALL INLET PROTECTION AT ALL NEW CATCH BASINS FOR THE DURATION OF CONSTRUCTION.



**30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION**

Aug 29, 2025 - 1:36pm nancy.eaton X:\Sammamish, City of\Projects\20250064 - SE 6th Street Phase ACADD\02 - Plan Sheets\20250064-DR.dwg Layout Name: DR2

No.	Date	Revision	By	Appr.

**PERTEET**  
801 2ND AVENUE, SUITE 302  
SEATTLE, WA 98104  
800.615.9900

City of **Sammamish** Washington


**811**  
Know what's below.  
Call before you dig.

Drawn By N. EATON	Date 8/2025
Designed By B. LOGAN	8/2025
Checked By T. CHENG	8/2025
Approved By J. DONATO	8/2025

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
**DRAINAGE PLAN**

Drawing No.  
**DR2**  
Sheet No.  
of Total


SEC. 33, T. 25 N, R. 6 E, W.M.




- CHANNELIZATION NOTES:**
- ① PAINT 4" WHITE EDGE LINE
  - ② PLASTIC CROSSWALK STRIPING PER COS STD. PLAN FIG04-05
  - ③ PAINT CURB RED (NO PARKING)
  - ④ PAINT 4" YELLOW SKIP LINE WITH TYPE 2YY RPMS PER COS STD. PLAN FIG04-03A
  - ⑤ PAINT 4" YELLOW LINES PER WSDOT STD. PLAN M-17.10.
  - ⑥ PLASTIC ACCESS PARKING SPACE SYMBOL PER WSDOT STD. PLAN M-17.10 AND M-24.60.

- SIGN LEGEND**
- (X) - NEW SIGN
  - XXR - REMOVE EXISTING SIGN
  - XX (NEW LOCATION) EXISTING SIGN ASSEMBLY TO BE RELOCATED
  - XX (EXISTING LOCATION)
  - - NEW SIGN
  - - EXISTING SIGN

- GENERAL NOTES:**
- 1. STREET SIGNS TO BE INSTALLED PER COS STD. PLAN FIG04-06.



SIGN NO.	EXISTING STATION	EXISTING OFFSET	PROPOSED STATION	PROPOSED OFFSET	SIGN TYPE	SIZE		DESCRIPTION	REMARKS
						X (IN)	Y (IN)		
1R	101+65	52.8' RT			R7-801	12	18	RESERVED PARKING SIGN	REMOVE SIGN AND POLE
2R	101+92	53.2' RT			R7-801	12	18	RESERVED PARKING SIGN	REMOVE SIGN AND POLE
3R	103+27	53.2' RT			R7-801	12	18	RESERVED PARKING SIGN	REMOVE SIGN AND POLE
4R	103+53	53.3' RT			R7-801	12	18	RESERVED PARKING SIGN	REMOVE SIGN AND POLE
5			101+24	32.5' RT	R7-801	12	18	RESERVED PARKING SIGN	NEW SIGN AND POLE
6			103+76	32.5' RT	R7-801	12	18	RESERVED PARKING SIGN	NEW SIGN AND POLE



Aug 29, 2025 - 1:37pm nancy.eaton X:\Sammamish\_City of Projects\20250064 - SE 6th Street Phase ACADD\02 - Plan Sheets\20250064-CH.dwg Layout Name: CH1

No.	Date	Revision	By	Appr.

**PERTEET**  
801 2ND AVENUE, SUITE 302  
SEATTLE, WA 98104  
800.615.9900

City of **Sammamish** Washington

**811**  
Know what's below.  
Call before you dig.

ENRIQUE BORGES  
STATE OF WASHINGTON  
REGISTERED PROFESSIONAL ENGINEER








Drawn By N. EATON	Date 8/2025
Designed By H. OGDEN	8/2025
Checked By E. BORGES	8/2025
Approved By E. BORGES	8/2025

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
CHANNELIZATION AND SIGNING PLAN

Drawing No.  
**CH1**  
Sheet No.  
---  
of Total

**30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION**

# PLANTING SCHEDULE

SYM	QTY	SCIENTIFIC/Common Name	SIZE	REMARKS
	4	<u>CONIFER TREE</u> Pinus nigra / AUSTRIAN PINE	6' HT; B&B/ 14" FABRIC BAG	FULL & WELL BRANCHED; STRAIGHT SINGLE CENTRAL LEADER & SYMMETRICAL BRANCHING HABIT
	10	<u>DECIDUOUS TREES</u> Acer saccharum 'bonfire' / BONFIRE SUGAR MAPLE Cercidiphyllum japonicum / KATSURA TREE Gymnocladus dioicus 'espresso' / ESPRESSO KENTUCKY COFFEE	2" CAL; B&B/ 16" FABRIC BAG	FULL & WELL BRANCHED; SYMMETRICAL BRANCHING HABIT WITH 6' BRANCH HT
	8	<u>ACCENT TREES</u> Rhamnus purshiana / CASCARA Amelanchier x grandiflora 'autumn brilliance' / AUTUMN BRILLIANCE SERVICEBERRY	2" CAL; B&B/ 16" FABRIC BAG	FULL & WELL BRANCHED; SYMMETRICAL BRANCHING HABIT
	2,466 SF	<u>LARGE SHRUBS</u> 10% Philadelphus lewisii / MOCK ORANGE 10% Physocarpus capitatus / PACIFIC NINEBARK 10% Rhododendron macrophyllum / PACIFIC RHODODENDRON 35% Symphoricarpos albus / COMMON SNOWBERRY 35% Vaccinium ovatum / EVERGREEN HUCKLEBERRY	#3 CONT	FULL, WELL BRANCHED & WELL ROOTED; TRIANGULAR SPACING AT 5" OC
	3,410 SF	<u>LOW SHRUBS</u> 10% Gaultheria shallon / SALAL 10% Abelia x grandiflora 'kaleidoscope' / GLOSSY ABELIA 10% Salix purpurea 'nana' / BLUE ARCTIC WILLOW 10% Spiraea betulifolia 'tor' / BIRCH LEAF SPIREA 10% Viburnum davidii / DAVID VIBURNUM <u>GROUNDCOVERS</u> 10% Epimedium versicolor 'sulphureum' / SULPHUREUM BARRENWORT 10% Festuca glauca 'elijah blue' / BLUE FESCUE 10% Galium odoratum / SWEET WOODRUFF 5% Lavandula angustifolia 'hidcote blue' / HIDCOTE BLUE LAVENDER 5% Nepeta x faassenii 'walker's low' / WALKER'S LOW CATMINT 10% Polystichum munitum / SWORD FERN	#1 CONT	FULL & WELL ROOTED; TRIANGULAR SPACING @ 36" OC
	2,382 SF	SEEDING, FERTILIZING, & MULCHING		SEE SPECS
	117 SF	BARK OR WOOD CHIP MULCH	3" DEPTH	

1  
LP03

2  
LP03

2  
LP03

3  
LP03








6  
LP03

# PLANTING NOTES

- WHERE QUANTITIES ARE NOT SHOWN IN THE PLANT SCHEDULE, SPECIFIC QUANTITIES WILL BE PROVIDED PRIOR TO THE NEXT SUBMITTAL, PERCENTAGES LISTED INDICATE PERCENTAGE OF TOTAL PLANTING AREA TO RECEIVE PLANTING MATERIALS.
- BRING ANY DISCREPANCIES WITH THE DWGS AND/OR SPECS & SITE CONDITIONS TO THE ATTENTION OF ENGINEER PRIOR TO PROCEEDING WITH CONSTRUCTION.
- LOCATE UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- VERIFY ALL GRADES WITH THE ENGINEER BEFORE COMMENCEMENT OF PLANTING, & SEEDING:
  - ALL GRADES SHALL FLOW SMOOTHLY INTO ONE ANOTHER WITH NO ABRUPT TRANSITIONS AND PRODUCE POSITIVE STORMWATER DRAINAGE.
  - THE CONTRACTOR IS RESPONSIBLE FOR ANY ADVERSE DRAINAGE CONDITIONS THAT MAY AFFECT PLANT GROWTH UNLESS THE CONTRACTOR CONTACTS THE ENGINEER IMMEDIATELY, INDICATING ANY POSSIBLE PROBLEM.
- FIELD STAKE OR DEMARCATOR PLANTING LOCATIONS FOR ENGINEER REVIEW AND APPROVAL PRIOR TO INSTALLATION.
- TREE LOCATIONS SHOWN ON PLANTING PLAN ARE APPROXIMATE; STAKE ALL TREE LOCATIONS IN THE FIELD FOR ENGINEER REVIEW AND APPROVAL PRIOR TO PLANTING THE TREES.
- COORDINATE PLANTING LOCATIONS WITH SPRINKLER HEAD LOCATIONS TO AVOID ANY CONFLICTS.
- DOCUMENT WORKING ORDER OF EX IRRIGATION SYSTEM PRIOR TO BEGINNING CONSTRUCTION.
- CONNECT NEW IRRIGATION SYSTEM INTO EXISTING SYSTEM. IRRIGATION DESIGN TO BE DEVELOPED PRIOR TO NEXT SUBMITTAL.
- ENSURE LAWN AND PLANT MATERIAL RECEIVE ADEQUATE WATER THROUGHOUT ONE (1) YEAR GUARANTEE PERIOD FOR PLANT ESTABLISHMENT, SEE SPECS.
- INSTALL GROUNDCOVERS IN A TRIANGULAR PATTERN AT SPACING SHOWN IN THE PLANT SCHEDULE. WHERE GROUNDCOVER ABUTS CURBING, WALLS, OR WALKS, MIN PLANTING DISTANCE MUST BE NINE (9) INCHES FROM SAME UNLESS OTHERWISE NOTED.
- TREE LOCATIONS SHOWN ON PLANTING PLANS ARE APPROXIMATE; IF FIELD ADJUSTMENTS ARE NECESSARY THE FOLLOWING MIN SETBACKS FOR CENTERLINE OF TREE TRUNKS TO EDGE OF DRIVEWAY, FACE OF CURB OR INTERSECTION AND TO CENTER OF ALL OTHERS SHOWN APPLY:
 

A. STREET LIGHTS	20'
B. DRIVEWAYS	10'
C. INTERSECTIONS	30'
D. UNDERGROUND UTILITY LINES	8'
E. UNDERGROUND UTILITY LINES WITH ROOT BARRIER	3'
F. EXISTING TREES	20'
G. FACE OF CURB	3 1/2'

## LEGEND

-  DETAIL IDENTIFICATION
-  SHEET IDENTIFICATION
-  24" DEPTH ROOT BARRIER
-  BENCH
-  BIKE RACK
-  REMOVABLE BOLLARD
-  WASTE/RECYCLE RECEPTACLE

NOTE TO REVIEWER:  
SITE FURNISHING TYPES TO BE DETERMINED PRIOR TO NEXT SUBMITTAL

## ABBREVIATIONS

#/NO.	NUMBER	EQUIV	EQUIVALENT
%	PERCENT	EX	EXISTING
&	AND	GAL	GALLON
@	AT	HT	HEIGHT
ABBV	ABBREVIATIONS	ID	INSIDE DIAMETER
AC	ACRES	LA	LANDSCAPE ARCHITECT
ALT	ALTERNATE	LF	LINEAR FEET
APPROX	APPROXIMATE	MFRS	MANUFACTURER'S
B&B	BALLED AND BURLAPPED	MAX	MAXIMUM
CAL	CALIPER	MIN	MINIMUM
C/CL	CENTER LINE	OC	ON CENTER
CIRC	CIRCUMFERENCE	PREP	PREPARATION
CLR	CLEAR	QTY	QUANTITY
CONC	CONCRETE	SCH	SCHEDULE
CONST	CONSTRUCTION	SPEC	SPECIFICATION
CONT	CONTAINER	SQ	SQUARE
CF	CUBIC FEET	SF	SQUARE FEET
CY	CUBIC YARDS	SYM	SYMBOL
DIA	DIAMETER	TYP	TYPICAL
DWGS	DRAWINGS	REP	REPRESENTATIVE
EA	EACH	ENG	ENGINEER
EQ	EQUAL		

30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION

Aug 28, 2025 - 5:07pm jbakke P:\2025 Projects\2025\31 Sammamish SE 6th St Improvements Project Phase A\Graphics\AutoCAD\20250064\_LPLOT.dwg Layout Name: LP1

No.	Date	Revision	By	Appr.




Drawn By	Date
J. BAKKE	8/2025
Designed By	
J. BAKKE	8/2025
Checked By	
A. LUOMA	8/2025
Approved By	
-----	8/2025

Project Number	20250064
----------------	----------

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
PLANTING SCHEDULE, NOTES,  
LEGEND, AND ABBREVIATIONS



Drawing No.  
LP01  
Sheet No.  
of Total

SEC. 33, T. 25 N, R. 6 E, W.M.



MATCHLINE STA 104+50 - SEE THIS SHEET

MATCHLINE STA 104+50 - SEE THIS SHEET



30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION



Drawn By: J. BAKKE  
Designed By: J. BAKKE  
Checked By: A. LUOMA  
Approved By: A. LUOMA  
Date: 8/2025


Project Number: 20250064

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
PLANTING PLAN


Drawing No. LP02  
Sheet No. \_\_\_\_\_  
of Total \_\_\_\_\_

Aug 28, 2025 - 5:07pm - jbakke P:\2025 Projects\2025\31 Sammamish SE 6th St Improvements Project Phase A\Graphics\AutoCAD\2025\0064\_LP02.dwg Layout Name: LP2


No.	Date	Revision	By	Appr.




**1**  
LP01  
**CONIFER TREE PLANTING**  
N.T.S.




**2**  
LP01  
**DECIDUOUS TREE PLANTING**  
N.T.S.




**3**  
LP01  
**SHRUB & GROUNDCOVER PLANTING**  
N.T.S.



**4**  
LP02  
**SHRUB & GROUNDCOVER SOIL PREP**  
N.T.S.



**5**  
LP02  
**SEED LAWN SOIL PREP**  
N.T.S.



**6**  
LP01  
**PLANTING LAYOUT**  
N.T.S.

**30% REVIEW SUBMITTAL - NOT FOR CONSTRUCTION**

Aug 28, 2025 - 5:09pm - jbakke P:\2025 Projects\2025\31 Sammamish SE 6th St Improvements Project Phase A\Graphics\AutoCAD\2025\0064\_LP01.dwg Layout Name: LP3

No.	Date	Revision	By	Appr.



Drawn By	Date
J. BAKKE	8/2025
Designed By	
J. BAKKE	8/2025
Checked By	
A. LUOMA	8/2025
Approved By	
---	8/2025

CITY OF SAMMAMISH  
SE 6TH ST IMPROVEMENTS PHASE A  
PLANTING DETAILS

Drawing No.  
**LP03**  
Sheet No.  
of Total

Project Number  
20250064